

ĺ

Best Available Copy






FIG. 1B1





F16.10

FIG. 1D

MOBILE DEVICE/SERVER ENVIRONMENT

MOBILE DEVICES IN A CLIENT SERVER ENVIRONMENT




FIG. 1E




FIG. 1F





FIG. 1G

. . .






FIG. 1I

OPTMIZATION: AN EXAMPLE







FIG. 15.






FIG. 2A

Sold they be and with the




FIG. 2B2





FIG. 2C








FIG. 2D2






Fr.G. 2F1

vtable functions 20602 v26EZ document table ~206A 2068. Vtable Pointer -206F2 header instance ~206H2 function pointers 2066 attribute method 206G2 206L V OBJECT POINTER Pointerand they have the sense of the tenton Urcompressed 206K2 writeable datastor 20652 #WADWR! Data **-**

Fig. 252

(Routine for Optimized Data)	
Modification	2.06 P
	2
Access object pointer in document table.	N206Q
	20/12
Access vtable pointer for access to vtable's function printers	1,206R
	7015
Access allribute pointer for access to data in content Stream.	706S
Read function pointers for access to instance methods	w 206T
Read Content Stream for access to data.	v 206U
2 Cromme 1 quiterents of Clata	v 206V
I was a superior	~206W
Requirements.	4
Decompress & Copy data into writeable !	~206X
Update attribute pointer to point to data in writeable memory.	~ 206Y
Update vtable pointer to point to instance	n 206 Z
methods for non-compressed, writeable data.	

FIG. 2F3



RELATED ART

FIG. 2H




FIG 211




FIG. 212

This is a sample page. It shows a few things you can do with Astro. Read the page, read the page source, make changes, and use astrobat to generate your own Spage> pub file.

HTML. Astro impliments HTML 4.0, but at this time the set of supported tags is very limited, and




FIG. OK

Š.




FIG. 2L





FIG. 3A




The first of the first of the first


H


Ş

m **| -**H į.

FIG. 3B










FIG. 3F

	Time of the second of the seco	The the restaurant
Vanhite Link	Adjust the Trophection settings for the selections for the agricultural services and services ar	

776.3H

USER INITIATES SYNC 374

LIST OF SYNC SERVERS

AND ACCTS/SERVER

ARE RETRIEVED

DEVICE IS SYNCED

TO EACH SERVER 378

ONE AT A TIME

FIG. 3I




FIG. 4




FIG. 5




FIG 3J




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

1

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

□ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.